

TITLE OF THE PRESENT INVENTION

**THE USE OF JOB INTERRUPT FUNCTIONALITY FOR THE PRODUCTION
OF INTERRUPTING AND SAMPLE JOB OUTPUT IN DIGITAL PRINTING
SYSTEMS**

5

FIELD OF THE PRESENT INVENTION

The invention relates to the art of digital printing.

It finds specific application as part of a digital
10 production printing system.

BACKGROUND OF THE PRESENT INVENTION

During the printing of long jobs, especially those
with color critical output, it is often desirable to view
15 sample copies. Viewing samples allows the press operator
to ensure that the appropriate content is being printed and
that the appearance of the output matches the customers
expectations. When offset presses are used, examining a
sample is fairly straightforward. Copies of just one page
20 are being produced at any one time and there are access
points in the printing press that allow sheets to be
viewed, and in some cases retrieved, during the printing
process.

An offset printing press might, for example, have five
25 print units. Each print unit applies one color in a multi-
color printing operation. The press is usually open and the
quality of the print job can be monitored by looking at the
output of each print unit as it is conveyed from one print
unit to the next. Adjustments to the print units can be
30 made as the job runs.

In digital production printing, multi-page documents
are being produced and delivered via closed paper paths to
finishing devices that do not allow convenient access to
printed output until the printing process is complete. As
35 a result, it is extremely difficult to monitor product

quality during a digital production printing job. If a problem develops in the middle of a job it is not noticed until after the job is complete. In large jobs, this can be very costly, both in wasted time and material.

5 Some attempts have been made to give digital printing systems more of the on-the-fly adjustability that is common in offset presses. U.S. Patent 5,606, 395 to Yang et al. and assigned to Xerox Corporation, is for a method and apparatus that allow an operator to monitor a digital
10 printing system's output tray and enter fine-tuning commands through an electronic control. The operator can determine the effectiveness of his commands by watching how they affect the sheets that arrive at the output tray.

15 This technique is most effective when copies of only one page are being printed. When collated copies of multi-page documents are being produced, and the sheet or sheets of interest are covered by the top sheet, this technique loses its usefulness. In order to check the adjustments, the operator has to remove a completed compilation from the
20 output tray, unwrap it (if it is shrink wrapped), and sort through the sheets to find the sheet or sheets of interest.

If further corrections are needed then all the copies created in the meantime, have to be discarded or reworked.

In either case, time and material are wasted.

25 An improvement is needed in digital production printing systems that allows print quality to be monitored in real-time.

30 The present invention is such an improvement. It allows a user to specify which parts of a job are critical, or representative of the job. The user can also indicate how often sample copies of each of those parts should be produced. The samples can be assessed, either by the user or a device. If a problem develops in the middle of a run, such as, poor registration, streaking or color drift, the

operator will see it reflected in the samples and can pause the job and take corrective action and then resume the job.

Alternatively a sensor can examine the samples and provide information to the machine to allow it to make automatic
5 corrections to the process.

SUMMARY OF THE PRESENT INVENTION

One aspect of the present invention is a method for producing interrupting jobs during the production of a main
10 job in an document processing apparatus. Such an apparatus usually comprises a plurality of machine modules that together process and/or produce printed media. The method comprises the steps of specifying a main job, where the main job comprises component parts and has at least one
15 measure of progress; starting production of the main job; monitoring at least one measure of progress of the main job; specifying an interrupting job; interrupting the main job at a point when productivity is maintained and media is not wasted; producing the interrupting job, and; resuming
20 the main job.

Another aspect of the present invention is a document processing apparatus comprising a plurality of machine modules in communication with each other for processing and/or producing printed media; at least one computing
25 platform in communication with the plurality of machine modules for controlling and orchestrating the activities of the modules; a plurality of document collection points attached to at least one of the modules, and at least one of the plurality of document collection points designated,
30 at least temporarily, as an interrupting job delivery point.

Another aspect of the invention allows for samples to be produced based on the number of copies produced in the main job.

Another aspect of the invention allows for samples to be produced based on main job run time.

Another aspect of the invention provides for the samples to be delivered at a convenient location apart from the main job delivery location.

Yet another aspect of the invention provides for high priority jobs to be requested instead of sample jobs.

One advantage of the present invention over the prior art is that it allows job quality to be monitored at a minimal cost.

Another advantage of the present invention is that it allows corrective action to be taken before large amounts of time and material are wasted due to poor print quality.

Yet another advantage of the present invention is that it allows a high priority job to interrupt a long print job with only minimal disruption to that job.

Still other advantages of the present invention will become apparent to those of ordinary skill in the art upon reading and understanding the following detailed description of the preferred embodiment.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention may take form in various components and arrangements of components, and in various steps and arrangements of steps. The drawings are only for purposes of illustrating preferred embodiments and are not to be construed as limiting the invention.

Figure 1 shows a first digital production printing system comprising a first arrangement of modules in accord with the present invention;

Figure 2 shows a second digital production printing system comprising a second arrangement of modules in accord with the present invention;

Figure 3 is a flow diagram showing a first embodiment of the present invention;

Figure 4 is a flow diagram showing a second embodiment of the present invention;

5 Figure 5 is a flow diagram showing another aspect of the present invention;

DETAILED DESCRIPTION OF THE PRESENT INVENTION

The present invention is for a digital printing system
10 with an improved method for monitoring document quality.

Samples of critical or representative parts of a main job are delivered, during main job production, to a location separate from where the main job documents are delivered.

The operator can retrieve and examine these samples during
15 job production and can immediately take corrective action if needed. Alternatively sensors can assess document quality and provide information for automatic system tuning.

Referring to Figure 1, first digital printing system
20 10 comprises a number of removable and/or replaceable modules. Digital front end 12 is an operator interface and tie point for other devices such as document scanners and computer networks. The operator uses the digital front end 12 to enter information about print jobs. The information
25 includes the source of images to be printed, the number of document copies required, the medium on which the document is to be printed, the type of binding to be used, etc. The digital front end then communicates this information, in the form of a job description, to a mark facility controller 14 via a communications path 15. The mark
30 facility controller 14 controls the modules that comprise the digital printing system. It directs feeding devices 16 to deliver the appropriate size and type of paper or other media to a print engine 18 at the appropriate time. The

mark facility controller 14 also coordinates the delivery of images to the print engine and directs it to print those images on the media delivered to it by feeding devices 16.

It then orchestrates the delivery of printed pages to the appropriate finishing device. For example, a first finishing device 20 might be used to collate and bind a main job and a second finishing device 22 might be used to deliver sample pages. Alternatively, sample sheets might be delivered to a sample/purge tray 24.

Referring to Figure 2, second digital printing system 70 includes a digital front end 72, a feeding device 74, a print engine 76 and a collator 78. The collator 78 assembles each document copy in one of a set of document trays 80. Configuration information designates one of the document trays 80 to be a sample or interrupting job output tray 82.

Digital printing systems 10 and 70 are just two examples of module configurations that can be used to practice the present invention and are not meant to limit the invention. Other configurations are possible. In some cases there may only be one computing platform visible. The computing platform might be a digital front end or it might carry out both the functions of a digital front end and a mark facility controller. In some cases the mark facility controller may be hidden from view. The mark facility controller might be installed in one of the modules, such as a print engine, that comprise the system. The digital front end function might be handled over a network. Therefore it is possible to build a system to practice the present invention that has no visible computing platform. Furthermore, systems can comprise multiple print engines and/or multiple feeding devices and/or multiple finishing devices. It is even possible to practice the present invention with a system that does not

include a print engine. One example of such a system is a signature booklet maker, which is familiar to those of ordinary skill in the art.

5 A first embodiment of a method in accordance with the present invention is outlined in Figure 3. For purposes of illustration, this embodiment has been broken down into two processes, a first job specification process 200 and a first job fulfillment process 202. First job specification process 200 might be run on a digital front end 12 while
10 first job fulfillment process 202 might be run on a mark facility controller 14. However, both processes might also be run on a single computing platform or be further broken down and distributed as tasks for other devices or people to perform.

15 First job specification process 200 begins with a collection of job specifications 204. These specifications include the source for the images to be printed, the number of pages to be printed, which if any, are to be printed in color, which if any, are to be printed in high resolution,
20 the size and kind of media on which they are to be printed etc. This information can be provided by the operator via means such as keyboard and/or mouse entry, or it can be provided electronically as a computer file or via a computer network connection.

25 The next step is a collection of a critical or representative parts list 206. This information is either provided electronically or it is provided by the operator after reviewing the job. It is a list of parts of sheets, sheets or compilations of sheets that require special
30 attention, such as color pages or shrink wrapped compilations of sheets.

In addition, a collection of sample intervals for each critical or representative part is also made 208. The sample intervals indicate how often during the production

of the main job, samples of each critical or representative part should be produced. For example a sample interval specification might be set so that a sample of a particular sheet is produced at a sample location, such as
5 sample/purge tray 24 each time 25 copies of that sheet are produced at the main job location, such as first finishing device 20. Another part of the main job, less prone to error, might be sampled each time 100 copies are produced at the main job location.

10 Most of this information is compiled to create a main job description 210. The main job description includes the job specifications and the critical or representative parts list. The main job description is submitted 212 to the first job fulfillment process 202. In this embodiment the
15 sample intervals are not submitted to the job fulfillment process but are kept for later use by the first job specification process 200.

At this point, the first job specification process 200 waits 214 to be notified that one of the listed critical or
20 representative parts of the job is being processed. A counter is associated with each part in the list. When the first job specification process 200 receives notification that one of the listed parts is being processed it increments 218 the appropriate counter. The value in that
25 counter is tested 220 to see if it corresponds to the sample interval specified for the incident part. If it does, a sampled job description is generated 222, and then submitted 224 to the job fulfillment process 202, the counter is reset and the process waits for the next
30 notification.

A sample job description is similar to the main job description discussed above. It is however, different in that it is identified as a sample job request and that it is for a short run of a subset of the main job.

It should be noted that while this embodiment uses a count of produced documents to determine when it is time to produce samples, other measures of job progress are possible. One alternative measure of job progress is main
5 job run time. Samples could be produced based on a time interval, every five minutes for example. It is intended that methods that use other measures of job progress are within the scope of the invention.

When the first job fulfillment process 202 receives a
10 job description it analyzes 226 it. It determines whether or not 228 the job is a sampled job.

If it is a sample job, the first job fulfillment process 202 looks for an efficient interruption point in the main job 230, inserts 232 the sample job there,
15 processes it, and then resumes main job processing.

If the job description does not call for a sample job, it is placed 234 on the main job queue. When it reaches the front of the queue it is processed 236. As it is processed, each part is examined 238 to determine whether
20 it is on the critical or representative parts list. If it is, then notification of that fact is sent to first job specification process 200.

If both the first job specification process 200 and the first job fulfillment process 202 are carried out by
25 one computing platform then communication paths 242 and 244 represent any technique used to transfer information between program functions, modules, objects or routines.

If the processes are carried out on two or more computing platforms then communications paths 242 and 244 represent
30 buses, networks, or other computer communications means.

Of course, this method can be repeated in whole or in part as many times as is required to successfully produce the main job or a series of main jobs.

A second embodiment of a method in accordance with the

present invention is outlined in Figure 4. As will be seen, it is similar to that shown in Figure 3. Similar parts carry the reference designators introduced in Figure 3.

5 Second job specification process 250 includes a step for collecting job specifications 204, a step for collecting 206 a critical or representative parts list and a step for collecting 208 a desired sample interval for each part just as first job specification process 200 does.
10 It has a different job description creation step 254 however. In this embodiment a job description includes the desired critical or representative part sample interval information.

15 The job description is submitted 212 to a second job fulfillment process 252. In this embodiment, the second job specification process 250 does not keep track of the number of times each critical or representative part is processed. Instead that task is carried out by the second job fulfillment process 252.

20 When notification is received by the job specification process, it indicates that the incident part has been processed a number of times corresponding to the sample interval specification and a sample job description is generated 222 and submitted 224 to the second job
25 fulfillment process 252.

30 It should be noted that while this embodiment uses a count of produced documents to determine when it is time to produce samples, other measures of job progress are possible and it is intended that methods that use such other methods are within the scope of the invention. For example main job run time could be measured and samples could be produced based on a time interval, every ten minutes for example.

When the second job fulfillment process 252 receives

a job description it analyzes it 226.

If it is a sample job description the second job fulfillment process 252 looks 230 for an efficient interruption point in the main job, inserts the sample job there, processes it, and resumes processing 232 the main job.

If it is not a sample job, it is placed 234 on the main job queue. When it reaches the front of the queue, it is processed 236. As it is processed, each part is examined to determine 256 whether it is on the critical or representative parts list. If it is, then a counter associated with that part is incremented 258. The value of that counter is then checked 238 to see if it corresponds to the sample interval specification for the incident part.

If it does, notification of that fact is sent to second job specification process 250, the counter is reset and processing continues.

Of course, this method can be repeated in whole or in part as many times as is required to successfully produce the main job or a series of main jobs.

Again, if both the second job specification process 250 and the second job fulfillment process 252 are carried out by one computing platform then communication paths 242 and 244 represent any of the techniques used to transfer information between program functions, modules, objects or routines. If the processes are carried out on two or more computing platforms then communications paths 242 and 244 represent buses, networks, or other computer communications means.

The mechanisms created in order to accommodate sample job production also allow for other features to be incorporated into a digital printing system. Accordingly Figure 5 depicts how those sample job producing mechanisms are used to interrupt a main job in order to produce a high

priority job. For clarity, this method is shown separate from the first and second embodiments. However, this method can be incorporated in those embodiments, or others.

Again, where steps are similar to steps previously introduced, they carry the reference designators of those previously introduced steps.

A third job specification process 300 and a third job fulfillment process 302 work together to produce a high priority job. In the third job specification process 300, a second job specifications step 304 is followed by a priority determination step 306. Second job specification step 304 includes gathering job priority information. Priority determining step 306 uses that information to determine which further processing path is appropriate.

If the job is of standard priority then a standard job description is created 308 and submitted to the third job fulfillment process 302. If the job has a high priority then a job description is created 312 including a high priority designation. The job specification is then submitted 302 to the third job fulfillment process 302.

When a job description is submitted to the job fulfillment process it is analyzed 226 and its priority is determined 314.

If it is of high priority, the third job fulfillment process looks 230 for an efficient interruption point in the main job and inserts 316 the high priority job there, processes it, and resumes main job processing.

If it is of normal priority it is placed in the main job queue 234. When it reaches the front of the queue, it is processed 236.

Of course, this method can be repeated in whole or in part as many times as is required to successfully produce the main job and high priority jobs or a series of main jobs and high priority jobs.

The invention has been described with reference to the preferred embodiment. Obviously, modifications and alterations will occur to others upon reading and understanding the preceding detailed description. It is
5 intended that the invention be construed as including all such modifications and alterations insofar as they come with the scope of the appended claims or equivalents thereof.

CLAIMS

What is claimed is:

1. In a document processing apparatus comprising a plurality of machine modules for processing and/or producing printed media, a method for producing interrupting jobs during the processing of a main job, the
5 method comprising the steps of:

specifying the main job, the main job having at least one measure of progress;

starting production of the main job;

requesting an interrupting job;

10 interrupting the main job at a point when productivity is maintained and media is not wasted;

producing the interrupting job, and;

resuming the main job.

2. The method of claim 1 wherein the step of specifying an interrupting job further comprises specifying a sample job comprising a component part of the main job.

3. The method of claim 2 wherein the step of specifying a sample job further comprises:

specifying representative parts of the main job to be sampled;

specifying a sample interval for each specified representative part.

4. The method of claim 3 further comprising, after the step of starting production and before the step of requesting, the steps of:

5 measuring the interval for each specified representative part;

determining if the specified sample interval has

elapsed for any of the specified representative parts, and
if it has;

generating a sample job specification corresponding to
10 the representative part for which the interval has elapsed.

5. The method of claim 4 wherein the interval is
measured in the number of copies produced in the main job.

6. The method of claim 4 wherein the interval is
measured main job run time.

7. The method of claim 1 further comprising before
the step of requesting an interrupting job:
specifying an interrupting job of high priority.

8. The method of claim 7 further comprising, before
the step of interrupting, the step of:
assessing the priority level of the interrupting job
and if the priority level of the interrupting job is higher
5 than the priority level of the main job, proceeding to the
step of interrupting.

9. The method of claim 1 wherein the step of
producing the interrupting job further comprises delivering
the interrupting job at a convenient location apart from
the main job delivery location.

10. In a document processing apparatus including a
plurality of machine modules that process and/or produce
printed media, a method for producing sample copies of
specific parts of a document, the method comprising the
5 steps of:
specifying a job;
specifying which parts of the job are representative;

specifying a sample interval for each of the
representative parts of the job;
10 producing the job;
measuring intervals for each of the specified
representative parts and when a particular interval is
reached;
generating an interrupting job description calling for
15 the generation of a sample of the representative part of
the job corresponding to the particular interval that was
reached;
presenting the interrupting job description for
processing;
20 analyzing the interrupting job description;
determining an efficient point in the job to produce
the samples;
interrupting the main job at the efficient point;
processing the interrupting job description to produce
25 the sample, and;
resuming the main job.

11. A document processing apparatus comprising:
a plurality of machine modules in communication with
each other for processing and/or producing printed media;
at least one computing platform in communication with
5 the plurality of machine modules for controlling and
orchestrating the activities of the modules;
a plurality of document collection points attached to
at least one of the modules; and,
at least one of the plurality of document collection
10 points designated, at least temporarily, as an interrupting
job delivery point.

12. The document processing apparatus of claim 11
wherein the at least one computing platform further

comprises a digital front end and a mark facility controller in communication with each other.

13. The document processing apparatus of claim 11 wherein the plurality of machine modules comprises at least one feeder device and at least one finishing device.

14. The document processing apparatus of claim 11 wherein the plurality of machine modules comprises at least one print engine.

11/01/01 11:01:01

**THE USE OF JOB INTERRUPT FUNCTIONALITY FOR THE PRODUCTION
OF SAMPLE JOB OUTPUT IN DIGITAL PRINTING SYSTEMS**

ABSTRACT OF THE DISCLOSURE

Main job production progress is monitored 220, 238 so that sample copies of parts of the main job that are designated critical or representative of the job as a whole can be produced on a regular interrupting basis. The samples are used to monitor production quality.

Digital printing system modules are arranged and configured to provide a sample job destination 22,24,48,58,82 separate from the main job destination.




Fig. 1




Fig 2




Fig. 3




Fig. 4




Fig. 5

Attorney's Docket No. XER 2 0308
D/98721

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

THE USE OF JOB INTERRUPT FUNCTIONALITY FOR THE PRODUCTION OF INTERRUPTING AND SAMPLE JOB OUTPUT IN DIGITAL PRINTING SYSTEMS

the specification of which

 x is attached hereto OR was filed on
Application Serial No.
and was amended on (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 or 365(b) of any foreign or U.S. Provisional application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below any foreign or Provisional application(s) for patent or inventor's certificate or of any PCT international application having a filing date before that of the application on which priority is claimed:

Prior Foreign Application

_____	_____	_____
(Number)	(Country)	(Day/Month/Year Filed)

I hereby claim the benefit under Title 35, United States, Section 120 of any United States application(s) or any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information which is material to patentability as defined in Title 37, of Federal Regulations Code, Section 1.56(a) which became available between the filing date of the prior application and the national or PCT international filing date of this application:

_____	_____	_____
(Application Serial No.)	(Filing Date)	(Status)
		(patented, pending, abandoned)
_____	_____	_____
(Application Serial No.)	(Filing Date)	(Status)
		(patented, pending, abandoned)

DECLARATION

Attorney's Docket No. XER 2 0308

D/98721

Page 2 of 2

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

Steven M. Auvil,	Reg. No. 40,492	Mark E. Bandy,	Reg. No. 35,788
Brian G. Bembenick	Reg. No. 41,463	John P. Cornely,	Reg. No. 41,687
Joseph D. Dreher,	Reg. No. 37,123	Christopher B. Fagan,	Reg. No. 22,987
Jude A. Fry,	Reg. No. 38,340	Steven M. Haas,	Reg. No. 37,841
W. Scott Harders,	Reg. No. 42,629	Michael E. Hudzinski,	Reg. No. 34,185
Richard M. Klein,	Reg. No. 33,000	Thomas E. Kocovsky, Jr.,	Reg. No. 28,383
Sandra M. Koenig,	Reg. No. 33,722	Brian E. Kondas,	Reg. No. 40,685
Scott A. McCollister,	Reg. No. 33,961	James W. McKee,	Reg. No. 26,482
Richard J. Minnich,	Reg. No. 24,175	Jay F. Moldovanyi,	Reg. No. 29,678
Philip J. Moy,	Reg. No. 31,280	Timothy E. Nauman,	Reg. No. 32,283
Patrick R. Roche,	Reg. No. 29,580	Albert P. Sharpe, III,	Reg. No. 19,879
R. Scott Speroff,	Reg. No. 37,450	Mark S. Svat,	Reg. No. 34,261
John E. Beck	Reg. No. 22,833	Richard B. Domingo	Reg. No. 36,784
Henry Fleischer	Reg. No. 25,582	Mark Costello	Reg. No. 31,342
Eugene O. Palazzo	Reg. No. 20,881	Jon A. Small	Reg. No. 32,631

SEND CORRESPONDENCE TO:

Albert P. Sharpe, III, Esq.
Fay, Sharpe, Fagan, Minnich & McKee,
LLP
1100 Superior Avenue, 7th Floor
Cleveland, OH 44114-2518

DIRECT TELEPHONE CALLS TO:

(name and telephone number)

Albert P. Sharpe, III
(216) 861-5582

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both under Section 1001 of Title 18 of the United States code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Full name of sole or first joint inventor: **GREGG A. BONIKOWSKI**

Inventor's Signature: *Gregg A. Bonikowski*
Residence: Rochester, New York 14618
Country of Citizenship: U.S.A

Date: 11-23-99

Post Office Address: 131 Brandywine Lane

Rochester, NY 14618

Full name of second joint inventor: **PATRICK T. IGOE**

Inventor's Signature: _____
Residence: Grand Island, New York 14072
Country of Citizenship: U.S.A

Date: _____

Post Office Address: 132 White Tail Run
Grand Island, NY 14072

Full name of third joint inventor: **MICHAEL P. KIRBY**

Inventor's Signature: *Michael P. Kirby*
Residence: Pittsford, New York 14534
Country of Citizenship: U.S.A

Date: 11/23/99

Post Office Address: 21 Park View Drive
Pittsford, NY 14534

RECEIVED
NOV 23 1999
FEDERAL BUREAU OF INVESTIGATION
U.S. DEPARTMENT OF JUSTICE

Attorney's Docket No. XER 2 0308

D/98721

Page 2 of 2

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

Steven M. Auvil,	Reg. No. 40,492	Mark E. Bandy,	Reg. No. 35,788
Brian G. Bembenick	Reg. No. 41,463	John P. Cornely,	Reg. No. 41,687
Joseph D. Dreher,	Reg. No. 37,123	Christopher B. Fagan,	Reg. No. 22,987
Jude A. Fry,	Reg. No. 38,340	Steven M. Haas,	Reg. No. 37,841
W. Scott Harders,	Reg. No. 42,629	Michael E. Hudzinski,	Reg. No. 34,185
Richard M. Klein,	Reg. No. 33,000	Thomas E. Kocovsky, Jr.,	Reg. No. 28,383
Sandra M. Koenig,	Reg. No. 33,722	Brian E. Kondas,	Reg. No. 40,685
Scott A. McCollister,	Reg. No. 33,961	James W. McKee,	Reg. No. 26,482
Richard J. Minnich,	Reg. No. 24,175	Jay F. Moldovanyi,	Reg. No. 29,678
Philip J. Moy,	Reg. No. 31,280	Timothy E. Nauman,	Reg. No. 32,283
Patrick R. Roche,	Reg. No. 29,580	Albert P. Sharpe, III,	Reg. No. 19,879
R. Scott Speroff,	Reg. No. 37,450	Mark S. Svat,	Reg. No. 34,261
John E. Beck	Reg. No. 22,833	Richard B. Domingo	Reg. No. 36,784
Henry Fleischer	Reg. No. 25,582	Mark Costello	Reg. No. 31,342
Eugene O. Palazzo	Reg. No. 20,881	Jon A. Small	Reg. No. 32,631

SEND CORRESPONDENCE TO:

Albert P. Sharpe, III, Esq.
Fay, Sharpe, Fagan, Minnich & McKee, LLP
1100 Superior Avenue, 7th Floor
Cleveland, OH 44114-2518

DIRECT TELEPHONE CALLS TO:
(name and telephone number)

Albert P. Sharpe, III
(216) 861-5582

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both under Section 1001 of Title 18 of the United States code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Full name of sole or first joint inventor: **GREGG A. BONIKOWSKI**

Inventor's Signature: _____ Date: _____
Residence: Rochester, New York 14618
Country of Citizenship: U.S.A. Post Office Address: 131 Brandywine Lane
Rochester, NY 14618


Full name of second joint inventor: **PATRICK T. IGOE**

Inventor's Signature: Patrick T. Igoe Date: 11/23/1999
Residence: Grand Island, New York 14072
Country of Citizenship: U.S.A. Post Office Address: 132 White Tail Run
Grand Island, NY 14072

Full name of third joint inventor: **MICHAEL P. KIRBY**

Inventor's Signature: _____ Date: _____
Residence: Pittsford, New York 14534
Country of Citizenship: U.S.A. Post Office Address: 21 Park View Drive
Pittsford, NY 14534

United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) 1 of Transmittal were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ Scanned copy is best available.